



SUPER STRONG

Polyester Monofilament Stencil Fabric

Mesh Count/inch Thread Type	Mesh Count (per cm)	Thread Diameter (micron)	Mesh Opening (micron)	Open Area (%)	Fabric Thickness (micron)	Theoretical Ink Volume (cu. cm/sq. m)
15T	6	400	1293	58	776	450
25T	10	250	766	56	470	263
40T	16	200	435	47	340	160
60T	24	120	303	51	205	105
60HD	24	145	278	43	215	93
74T	29	120	223	42	205	86
86T	34	100	195	44	165	73
110S	43	71	160	48	115	55
110T	43	80	151	43	125	53
125T	49	71	132	42	130	55
135T	53	64	124	44	100	44
135HD	53	71	117	39	117	46
150S	59	54	115	46	82	38
150T	59	64	105	39	100	39

160T	63	64	95	36	100	36
160HD	63	71	88	31	119	37
180T	71	54	87	38	82	31
200T	79	54	73	33	82	27

SUPER STRONG PLUS LE

High Tension Low Elongation Stencil Fabric

Mesh Count/inch Thread Type	Mesh Count (per cm)	Thread Diameter (micron)	Mesh Opening (micron)	Open Area (%)	Fabric Thickness (micron)	Theoretical Ink Volume (cu. cm/sq. m)
150SS	59	48	121	51	74	38
180S	71	48	93	44	73	32
200S	79	48	79	39	73	28
225T	90	48	65	33	72	24
250T	100	40	62	37	58	21
270T	106	34	60	41	51	21
270HD	106	40	54	33	59	19
300T	120	34	51	36	51	18
300HD	120	40	45	28	61	17
330S	130	30	47	37	44	16
330T*	130	34	43	31	60	19
350S	140	30	43	34	45	15
350T*	140	34	39	28	60	17

350M	140	33	40	30	50	15
390S	150	30	35	29	44	13
390T*	150	34	31	23	61	14
390M	150	33	32	24	49	12

SX SCREEN

Mesh Count/inch Thread Type	Mesh Count (per cm)	Thread Diameter (micron)	Mesh Opening (micron)	Open Area (%)	Fabric Thickness (micron)	Theoretical Ink Volume (cu. cm/sq. m)
SX420S	165	26	34	32	41	13

**Twill Weave*

Manufactured by Nittoku, Japan

Fabric Width: 45", 53", 61"/65", 82"/90"

Bolt Length: 25-180 mesh, appx. 55 yards/200-420 mesh, appx. 33 yards

Fabric Color: White or Yellow, Orange dyed on order only.

(800)535-4657 4237 Raleigh Street Charlotte, NC 28213